



IFWO

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/733,375

DATE: 09/16/2004

TIME: 14:30:49

Input Set : N:\CrF3\RULE60\10733375.raw

Output Set: N:\CRF4\09162004\J733375.raw

1 <110> APPLICANT: Sharma, Vijay
 2 Kondiboyina, Venkata R
 3 <120> TITLE OF INVENTION: Method and Device for the Rapid Clinical Diagnosis of
 Hepatitis C Virus
 4 Infection in Biological Samples
 5 <130> FILE REFERENCE: RELIA P-106
 6 <140> CURRENT APPLICATION NUMBER: US/10/733,375
 7 <141> CURRENT FILING DATE: 2003-12-12
 8 <150> PRIOR APPLICATION NUMBER: US/10/037,990
 9 <151> PRIOR FILING DATE: 2002-01-03
 10 <160> NUMBER OF SEQ ID NOS: 3
 11 <170> SOFTWARE: PatentIn version 3.1
 13 <210> SEQ ID NO: 1
 14 <211> LENGTH: 24
 15 <212> TYPE: DNA
 16 <213> ORGANISM: Hepatitis C virus
 17 <400> SEQUENCE: 1
 18 gcagaaagcg tctagccatg gcgt 24
 20 <210> SEQ ID NO: 2
 21 <211> LENGTH: 24
 22 <212> TYPE: DNA
 23 <213> ORGANISM: Hepatitis C virus
 24 <400> SEQUENCE: 2
 25 ctcgcaagca ccctatcagg cagt 24
 27 <210> SEQ ID NO: 3
 28 <211> LENGTH: 21
 29 <212> TYPE: DNA
 30 <213> ORGANISM: Hepatitis C virus
 31 <400> SEQUENCE: 3
 32 gtcgtgcagc ctccaggacc c 21

ENTERED

RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 09/16/2004

PATENT APPLICATION: US/10/733,375

TIME: 14:30:50

Input Set : N:\Crf3\RULE60\10733375.raw

Output Set: N:\CRF4\09162004\J733375.raw

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 3

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/733,375

DATE: 09/16/2004

TIME: 14:30:50

Input Set : N:\Crf3\RULE60\10733375.raw

Output Set: N:\CRF4\09162004\J733375.raw